

On the Identification of Modeler Communities

Dirk van der Linden, Public Research Centre Henri Tudor, Luxembourg, Luxembourg & Radboud University Nijmegen, Nijmegen, Netherlands & EE-Team, Luxembourg

Stijn J.B.A. Hoppenbrouwers, HAN University of Applied Sciences, Arnhem, Netherlands & Radboud University Nijmegen, Nijmegen, Netherlands & EE-Team, Nijmegen, Netherlands

Henderik A. Proper, Public Research Centre Henri Tudor, Luxembourg, Luxembourg & Radboud University Nijmegen, Nijmegen, Netherlands & EE-Team, Luxembourg

ABSTRACT

The authors discuss the use and challenges of identifying communities with shared semantics in Enterprise Modeling (EM). People tend to understand modeling meta-concepts (i.e., a modeling language's constructs or types) in a certain way and can be grouped by this conceptual understanding. Having an insight into the typical communities and their composition (e.g., what kind of people constitute such a semantic community) can make it easier to predict how a conceptual modeler with a certain background will generally understand the meta-concepts s/he uses, which is useful for e.g., validating model semantics and improving the efficiency of the modeling process itself. The authors have observed that in practice decisions to group people based on certain shared properties are often made, but are rarely backed up by empirical data demonstrating their supposed efficacy. The authors demonstrate the use of psychometric data from two studies involving experienced (enterprise) modeling practitioners and computing science students to find such communities. The authors also discuss the challenge that arises in finding common real-world factors shared between their members to identify them by and conclude that there is no empirical support for commonly used (and often implicit) grouping properties such as similar background, focus and modeling language.

Keywords: Conceptual Understanding, Enterprise Modeling, Meta-Concepts, Modeling Concepts, Modeling Languages

1. INTRODUCTION

The modeling of an enterprise typically comprises the modeling of many aspects (e.g., processes, resources, rules), which themselves are typically represented in a specialized modeling language

or method (e.g., BPMN (Object Management Group, 2010, e3Value (Gordijn et al., 2006), RBAC (Ferrariolo et al., 1995)). Most of these languages share similar meta-concepts (e.g., PROCESSES, RESOURCES, RESTRICTIONS1). However, from language to language (and modeler to

DOI: 10.4018/ijismd.2014040102

modeler) the way in which meta-concepts are typically used (i.e., their intended semantics) can differ. For example, one modeler might typically intend RESTRICTIONS to be deontic in nature (i.e., restrictions that ought to be the case, but can be violated), while a different modeler might typically consider them as alethic conditions (i.e., rules that are strict logical necessities and cannot be violated). The modelers could also differ in whether they typically interpret RESULTS as being material or immaterial 'things'. Even for scenarios as simple as the delivery of a pizza these differences become apparent, as a pizza delivery can include alethic restrictions in order to observe temporal dependencies ("A pizza *cannot* be delivered before it is made."), deontic restrictions ("A pizza *should* be delivered within 30 minutes of its order."), and the result of the delivery can be a material thing (a certain amount of notes and coins of the local currency) or an immaterial one (a confirmation of payment on a debit card machine). If one is to integrate or link models (i.e., the integrative modeling step in enterprise modeling (cf. Lankhorst, 2004; Kuehn et al., 2003; Vernadat, 2002; Opdahl and Berio, 2006; Delen et al., 2005) and ensure the consistency and completeness of the involved semantics, it is necessary to be aware of the exact way in which such a meta-concept was used by the modeler. If this is not explicitly taken into account, problems could arise from, e.g., treating superficially similar concepts as being the same or eroding the nuanced view from specific models when they are combined and made (internally) consistent.

This challenge follows from the collaborative nature of enterprise modeling (cf. Ssebuggwawo et al., 2009; Rospocher et al., 2008; Frederiks and van der Weide, 2006; Hoppenbrouwers et al., 2005; Hoppenbrouwers et al., 2006), as it involves different people specialized in different aspects of the enterprise. These aspects have to be elaborated on to deal with the complexity of (re)designing modern day enterprises (Barjis et al., 2009). Collaborative modeling in general (cf. Rouwette et al., 2008; Hoppenbrouwers et al., 2009; Rittgen, 2009) deals with challenges like these that arise

because of the different people involved, such as optimizing the actual modeling process (Bidarra et al., 2001), ensuring its effectiveness (Dean et al., 2000) and dealing with conflicts and problems that arise when integrating models made by different people with different viewpoints (Renger et al., 2008).

The particular challenge we are concerned with in the enterprise modeling process is *mismatched understandings between different modelers and stakeholders* (Kaidalova et al., 2012). Note that *mismatched understanding* does not only refer to misunderstandings that the involved parties might be aware of. It explicitly also refers to the (more damaging) misunderstanding that the parties involved might *not* be aware of.

People might disagree on what words to use, what they should mean, or use the same words without realizing they talk about different things. When these apparent or hidden disagreements extend to the words used by a modeling language (i.e., the meta-concepts), the produced models themselves might no longer reflect correctly or fully the conceptualization of the individuals involved. As models should be there to support the building of knowledge and its exchange (Stahl, 2000), any threat to the validity and integrity of the models is a threat to the knowledge exchange itself. An often-used strategy to deal with this is a priori agreeing on or working towards a set of standardized terminology and semantics. However, it is neither safe nor effective to simply assume that such expressed agreements, or even the models themselves, express correctly and completely the way a modeler conceptualizes them (Guarino et al., 1994).

To deal more effectively with the issue of semantics it is necessary to have an insight into the 'mental models' of the people involved (Uschold, 2011; Almeida, 2009). It is important to gain such insight on a personal level because "*semantic memory for concepts is based on a subject's memories of past experiences with instances of those concepts*" (Geeraerts, 2010) and because people generally do not think in the semantics of a given modeling language, but

in the semantics of their own natural language (Sowa, 2010). Furthermore, some modeling languages do not have an official, agreed-upon specification of their semantics (e.g., *i** (Ayala, 2005)) and if they do, there is no guarantee that their semantics are complete or consistent (cf., Breu et al., 1997; Nuffel et al., 2009; Wilke & Demuth, 2011). In addition, language users might, deliberately or not, ignore the official semantics and invent their own (Henderson-Sellers, 2005). Understanding the intended semantics of a given model thus cannot come solely from knowledge of the language and its semantics, but also requires us to invest in understanding the people who created the model.

However, one cannot realistically be expected to look into each individual modeler's semantic idiosyncrasies. Instead, a generalized view on how people with a certain background typically understand the common meta-concepts could be used to infer, to some degree, the outline of their conceptual understanding. Such (stereo)types of modelers could be found by identifying communities of modelers that share similar semantic tendencies for given concepts and analyzing whether they have any shared properties that allow us to treat them similarly. A community in this context is nothing more than a group of people who can be seen to share certain things, in this case their understanding of a modeling language and its (meta-)concepts. As language, or any means of communication, is inherently bound to a community using it (Perelman and Olbrechts-Tyteca, 1969) (regardless of whether that community is bound by geography, biology, shared practices and techniques (Wenger & Snyder, 2000; Meyerhoff, 2008), like-minded people (Alani & Shadbolt, 2002), used and shared information (Bishr et al., 1999), cognitive strengths and weaknesses (Wilmont et al., 2012) or simply speech and natural language (Gumperz, 2001; Hoppenbrouwers, 2003), it seems safe to assume that there are communities which share a typical way of understanding modeling language concepts. This is not to say that such communities would be completely homogeneous in their semantics, but merely

that they show enough overlap to be able to be treated as belonging together during a process which integrates models originating from their members without expecting strong inconsistencies in the final product.

Finding such communities based on, for example, empirical data is not a difficult matter in itself. However, the difficulty lies in going from simply finding communities to understanding them and generalizing them, i.e., being able to predict, on the basis of empirical data or prior experience, that communities of people sharing certain properties will typically use certain semantics. To do so it is necessary to find *markers* -- properties that are shared between the members of a community. These *markers* (e.g., dominant modeling language, focus on specific aspects) are needed to be able to postulate that a given modeler, with a given degree of certainty, belongs to some community and thus likely shares this community's typical understanding of a concept.

Between 2010 and 2012 several collaborative modeling workshops were organized in the context of the Agile Service Development (ASD) project², resulting in (Lankhorst, 2012). With the partners involved in these workshops, who themselves are involved in different kinds of (collaborative) domain modeling (e.g., enterprise modeling, knowledge engineering, systems analysis), we have found that there are a number of common markers modelers are typically (and often implicitly) grouped by. That is, on the basis of these properties they are often assigned to collaborate on some joint domain modeling task. These properties are, for example, a similar background, education, focus on what aspects to model (e.g., processes, goals), in what sector they do so (e.g., government, health care, telecommunications), and modeling languages used. In particular, we found that many modeling communities are formed (i.e., stipulated by management) based on a shared use (in practice) of a modeling language and the modeling focus. The members of these communities therefore share the fact that they 'know' the given modeling language and apply it with the same focus, while also having the

same background in terms of work in which they use the language. Thus it seems that in practice, it is assumed that when people use similar modeling languages, share a focus, etc., that they will share a similar enough conceptual understanding of the involved modeling meta-concepts, and will thus be able to effectively collaborate.

However, without supportive empirical data, one cannot just assume that two members of such a community really have the same conceptual understanding of the modeling concepts provided by the modeling language, purely based on the fact that they both know the language, and have similar working backgrounds. Thus, in order to test this assumption we will hypothesize that two members from such a community have the same conceptual understanding of the concepts provided by the modeling language. We will test this hypothesis to see whether it holds, as it is so rarely tested or backed up by empirical data. In order to test it we will do the following. We consider a number of communities of modelers that share the same focus, use the same modeling languages, and in some cases have even more overlap (e.g., interaction with types of stakeholders, operating sector). Given those communities, we investigate the personal semantics of the modelers themselves (whereas other work tends to focus on analysis of their produced texts or models, e.g., (Flake et al., 2002; Recker & Dreiling, 2007)). On basis of this data (i.e., the actually found semantic communities) we assess whether there are strong discrepancies between the conceptual understandings of the members of the communities of which we know that they share the same language and focus. If no such discrepancies are found, then the 'naïve' grouping procedure commonly used already in practice might have some merit. Furthermore, it could lead to predictive theories that, to a certain degree, predict what (the range of) understanding is that a modeler has for a given concept.

The specific focus of this study is thus to investigate and test whether this common assumption made in modeling practice can

be backed up by empirical investigations. In terms of Gregor's (2006) types of theories in information systems research, we strive to analyze and describe in detail the modelers' conceptual understandings, and whether that analysis challenges any held assumptions. It is thus out of the scope of this study to propose an approach stipulating how to more effectively 'do' the act of enterprise modeling, nor is it our intention to describe in elaborate detail how existing methods (e.g., TOGAF, ADM) might be adapted to fit with our findings. Instead, we will discuss the more fundamental implications our findings have (be they bad or good), and what steps could be taken both by practice and research in order to deal with them.

The rest of this article is structured as follows. In Section 2 we discuss the data used and how we acquired it. In Section 3 we demonstrate how this kind of data can be analyzed to find communities, discuss the difficulties in identifying common properties amongst their members and reflect on the hypothesis and the consequences of our findings. Finally, in Section 4 we conclude and discuss our future work.

2. METHODS AND USED DATA SAMPLES

We use the Semantic Differential (Osgood et al., 1957) as our data gathering method. It is an often-used psychometric method that can be used to investigate what connotative meanings apply to an investigated word or concept, e.g. whether a model is typically considered good or bad, a language is considered intuitive or difficult. It is widely used in information systems and modeling research as it is easy to implement, generally produced valid results (Di Vesta & Dick, 1966), stands up to test-retest validity (Peter, 1979), and there are well-researched guidelines and best practices to ensure quality of the results (Verhagen & Meents, 2007).

In order to investigate the semantic understanding of common modeling meta-concepts with a semantic differential it is necessary to

determine what connotations to enquire about for the investigated concepts. The connotations essentially serve as different dimensions on which people's understanding can be discriminated, e.g., whether an actor could be considered human or not, whether a resource could be immaterial or not. As such, we do not aim to comprehensively measure what a concept 'is' for someone, but we focus on characterizing it by determining on which dimensions concepts can be discriminated and delineated. This approach is in line with findings in psychology and cognitive science (cf. Malt et al., 2011; Pinker, 2007), which acknowledge that it is infeasible, if not downright impossible to fully 'measure' a concept.

The dimensions we need in order to characterize a concept can be gathered by multiple means, for example exploratory research amongst (a sample of) the participant population (e.g., the repertory grid elicitation technique (Tan & Hunter, 2002), observing practitioners to see which topics give rise to discussion involving clarification of terminology more often, and analyzing and comparing specifications of modeling languages and methods to find dimensions on which language constructs differ.

To construct a semantic differential we thus follow the simple steps of determining participants, determining the concepts to be investigated and determining the dimensions on which to investigate them. Once we know which dimensions we wish to investigate, we need to gather a set of adjectives for each of them, as the dimensions are enquired about indirectly (e.g., to find out whether something is considered human or not one could use "human -- not-human", "self-conscious -- not self-conscious"). The gathering and validation of adjectives is done amongst (a sample of) the target participants in order to ensure the differential is aimed at them and asks what we want to ask (i.e., is semantically valid). A semantic priming task is finally incorporated as well to ensure that the enquired adjectives are targeted at the concepts we wish to investigate.

2.1. Our Study Setup

The studies reported on in this article investigate the understanding participants have for the concepts ACTORS, EVENTS, GOALS, PROCESSES, RESOURCES, RESTRICTIONS and RESULTS in the context of (conceptual) modeling. These (meta) concepts were derived from an earlier performed analysis, as reported in (van der Linden et al., 2011). This analysis was specifically focused on finding the common high-level meta-concepts shared between the specifications of a number of languages and methods covering different aspects used in enterprise modeling (e.g., processes, value exchanges, goals, architecture, performance, security). While there is more difference (of opinion and interpretation) to be found when it comes to domain concepts than the listed meta-concepts, the latter are more interesting to look at for our purposes. As we wish to compare a number of modelers in order to establish whether they can be grouped or not, the concepts we investigate should be shared amongst them. This is definitely the case for the meta-concepts, as they are shared by most languages and methods, whereas the highly specialized domain concepts might not be shared amongst them. Furthermore, as the personal understanding of the meta-concepts directly affect the actual semantics of a model (i.e., a meta-concept's semantics dictates what is, and is not a permissible instantiation for a part of a model), differences in understanding of these concepts can have more of an (unnoticed) effect on the produced model's semantics.

The dimensions we investigate for each of these concepts are whether they can be considered *natural*, *human*, *composed*, *necessary*, *material*, *intentional* and *vague* things. These dimensions originate from the same analysis that was used for the meta-concepts (van der Linden et al., 2011). They were found by establishing when two similar constructs in a language were used for different purposes. For instance, in case two languages had an ACTOR-like construct, and one language assumed this to be human whereas

the other assumed it to be either an abstract entity (i.e., agents) or a non-human physical entity (i.e., computer hardware), we derived a dimension *human* on which the languages can be discriminated. The remaining dimensions discriminate meta-concepts based on whether they are found to be naturally occurring or not (i.e., a rock versus a man-made tool), composed of multiple things or singular, necessary to adhere to or not (i.e., an alethic condition versus a deontic ‘rule’), material or non-material (i.e., a physically existing object versus an abstract entity like a number), intentional or unintentional and vague or (well-)defined.

Finally, we use markers to analyze whether groups found in the results of our study reflect commonly used grouping approaches by practitioners. These markers originate from workshop sessions with practitioners and companies as detailed in the introduction. They are the following: what modeling languages and methods people use, what sector they operate in, what the focus of their modeling efforts is, and what kind of stakeholders they interact with during the modeling process.

2.2. Our Studies

The practitioner study ($n=12$, see Table 1) was carried out in two internationally operating companies that focus on supporting clients in (re)designing organizations and enterprises. The investigated practitioners all had several years of experience in applying conceptual modeling techniques. Apart from the semantic differential, we explored what modeling languages and methods they use, what sector(s) they operate in, what they model, and what kind of people they mostly interact with in order to see whether these could be used as identifying factors for semantic communities.

The student study ($n=19$) is an ongoing longitudinal study into the (evolution of) the understanding computing and information systems science students have of modeling concepts. This study was initiated at the start of the involved students’ academic studies. As such, most of them had little to no experience

with modeling languages yet. We explored their educational (and where applicable, professional) background, their knowledge of modeling or programming languages and methods, their interests, and career plans. While these students will likely not offer any particularly interesting insight compared to the practitioners, we include them in order to verify whether the phenomena we investigate occur in other groups than just experienced modelers.

While the amount of participants in each study might seem low compared to other scientific studies with different goals and methodologies, both of our studies are large enough to produce useful results for our purposes. As we will test our hypothesis by attempting to falsify it, we need only counter-examples to the practice of naive grouping we described in the introduction. We are confident that accepting the hypothesis is not unrealistic as it is grounded in empirical observations, and its rejection would also not be a trivial matter. Thus, it is most efficient for a first enquiry into the problem matter to use only as many people as deemed necessary to find a counter-example. Given that the practice we described seems to be widespread, it should thus be found in relatively small samples of participants.

2.3. Data Processing

The resulting numerical data from the two studies were processed into a matrix holding the scores for each concept-dimension combination (e.g., whether an *ACTOR* is a *natural thing* or whether a *RESULT* is a *vague thing*). These scores range from 2.0 to -2.0, denoting respectively full agreement and disagreement that the dimension ‘fits’ with their understanding of the concept.

To find communities of people that shared a certain amount of semantics (i.e., score similarly for given concept-dimension combinations) we initially analyzed the results using repeated bisection clustering. However, we found it not feasible to investigate the existence and borders of communities with this approach, as it was not sensible to *a priori* estimate parameters like optimal cluster size and similarity cutoffs (i.e.,


Table 1. Participants in the practitioner study and their relevant data. 'Proprietary' languages are not publicly available modeling languages or suites, often developed in-house.

No.	Used Languages	Sector	Focus	Interacts With
1	Proprietary, RDF, OWL, UML, ERD	Financial, Government	Context, domain knowledge, processes, data	Operational managers, Senior managers, Domain experts
2	Proprietary	Government	Knowledge systems, processes	Managers, domain experts
3	Proprietary	Financial, Government	Knowledge rules, processes, data	Analysts, modelers
4	OWL, UML, BPMN	Government, Public, Healthcare, Finance	Knowledge rules, decisions	Domain experts, project managers, IT engineers, business and enterprise architects
5	UML, Proprietary, Protos	Financial, Government, Non-profit	Application-specific knowledge, process knowledge, knowledge databanks	Domain experts and IT departments
6	Meta-modeling, ontologies, taxonomies	Spatial planning, environment	Processes	Domain experts, analysts, architects
7	Proprietary, UML, Java	Government, spatial planning	Business processes, process structure, supply chain	Domain experts, IT specialists
8	UML, OWL, RDF, Mindmap, Rulespeak, Proprietary	Government, Healthcare	Rules	Business professionals, policymakers, lawyers
9	Proprietary	Government, financial	Rules, legislation, policy, processes	Domain experts
10	Proprietary, XML, XSLT	Government, finance	Processes, rules, object definitions for systems	Domain experts, java developers
11	ArchiMate, UML, ORM, ERD, BPMN, Amber, 'improvisational'	-	Enterprise-wide architectures, strategic context, change organization	(Senior) line managers, architects, domain experts, process owners
12	ArchiMate 2.0, Amber Architect, Proprietary	Government, Healthcare, Financial, Telecom	Business processes, work processes, instructions, enterprise architecture	Domain experts and managers, people from the work floor

how similar people should score in order to be considered part of the same community), given that we had no realistic prior data. For this reason we used principal component analysis (PCA) and the visualizations of it in order to generate a more manageable way of investigating the communities and the rough semantic distance between them.

These PCA results and their visualizations (See Figure 1 and Figure 2) demonstrate (roughly) the degree to which people share a semantically similar understanding of the investigated concepts and can thus be grouped together. It has to be stressed that this 'unit' of distance is dimensionless and thus should not be used as an objective measure on its own. Instead,

Figure 1. Visualization of the principal component analysis for the investigated concepts (and average overall understanding) in the practitioner sample. The visualizations represent (roughly) the distance between understandings which individual participants have. The further away two participants are on both axes (i.e., horizontal and vertically different coordinates), the more different their conceptual understanding has been measured to be. Colored boxes and circles are used to highlight some interesting (potential) groups of participants that are discussed in more detail.




it can be seen and used to distinguish groups from groups, while not saying necessarily in detail how objectively far they are from each other. Combining this data with the information we have gathered about the participants (i.e., the markers) we can investigate whether the structure of the found clusters (i.e., semantic communities) reflect what would be expected from the naive grouping commonly performed in practice.

3. GENERAL RESULTS AND DISCUSSION

Most importantly, the results support the idea that people can be non-arbitrarily clustered based on their personal semantics. As shown in Figs. 1 and 2 there are easily detectable clusters (i.e., communities) for most of the investigated concepts, although they vary in terms of their member size and the semantic difference be-

Figure 2. Principal components found in the data of concept-specific understandings for students. The visualizations represent (roughly) the distance between understandings which individual participants have. The further away two participants are on both axes (i.e., horizontal and vertically different coordinates), the more different their conceptual understanding has been measured to be.



tween the members (i.e., the variance within the clusters). Given that we investigate individual participants, and look at their personal semantics it is expectable to have such a high granularity, as it reflects the amount of difference of conceptual understanding between individuals.

While there are both clusters of people that share a conceptual understanding for practitioners and students alike, they do differ somewhat. Internal variance for a number of concepts is greater for students, i.e., the semantics are more ‘spread out’ (See Table 2). This

may be explained by practitioners having more exposure to specific interpretations of some concepts, causing a lower spread of measurable semantics. Nonetheless, both practitioners and students are still easily divided into communities based on their semantic differences.

3.1. Finding Communities

To demonstrate the existence and structure of the found communities, we will discuss some of the clusters we found for the understand-

Table 2. Comparison of variance for each concept in the investigated data samples. Wilcoxon-testing on the variance to test whether one sample had a lower spread was negative ($V=8$, $p=0.1875$). While overall variance is not significantly different, a number of concepts (i.e., ACTOR, EVENT and GOAL) do display potentially interesting disparities.

Sample	Actor	Event	Goal	Process	Resource	Restriction	Result
Practitioner	0.38	0.57	0.68	0.93	0.73	0.94	0.92
Student	0.66	0.77	1.01	0.93	0.82	0.83	0.81

ing practitioners and students have of GOALS, PROCESSES, RESOURCES and RESTRICTIONS. The immediately obvious difference between the practitioners and students is that, where there are clusters to be found amongst the practitioners, they differ mostly on one axis (i.e., component), whereas the students often differ wildly on both axes. Of particular interest to testing our hypothesis are participants 3 & 8, and 2, 7 & 10 from the practitioner data sample. The first community clusters together very closely for their understanding of RESTRICTIONS (and GOALS, albeit to a lesser degree) while they differ only slightly for most other concepts. This means one would expect them to share some real-world properties. Perhaps they are people specialized in goal modeling, or share a typical way of modeling RESTRICTIONS in a formal sense. The second community (participants 2, 7 & 10) cluster together very closely for RESOURCES, fairly close for GOALS and RESTRICTIONS, while being strongly different when it comes to their understanding of PROCESSES. One could expect this to infer that they have some shared focus on RESOURCES, either through a language they use (e.g., value-exchange or deployment languages), which are often strongly connected to GOALS (as either requiring them, or resulting in their creation). Oppositely, one would not necessarily expect there to be much overlap between the participants with regard to PROCESSES, as they are grouped with a wide spread.

For the students, there are several potentially interesting communities to look at. Participants 4 & 8 differ strongly for several concepts (e.g., their strong differentiation on two components for RESOURCES, and for PROCESSES and RESTRICTIONS), but they have an almost

exactly similar understanding of GOALS. One would expect that some kind of property shared between them might be used to identify other participants that cluster together for GOALS, but not necessarily share other understandings. Participants 3, 6 & 19 also cluster together closely for one concept -- RESOURCES -- but differ on their understanding of the other investigated concepts. As such, if (some) experience in the form of having used specific programming and modeling languages is correlated to their conceptual understanding, one would expect to find some reflection of that in the clustering of these students.

3.2. Identifying Communities

However, when we add the information we have about the participants (see Tables 3 and 4) to these clusters, we run into some problems. It is often the case that communities do not share (many) pertinent properties, or when they do, there are other communities with the same properties that are far removed from them in terms of their conceptual understanding. For instance, consider participants 2, 7 & 10 (highlighted with a gray oval) from the practitioner data sample. While they share some properties, (e.g. operating in the same sector, having some amount of focus on PROCESSES, and interacting with domain experts), when we look at other communities it is not as simple to use this combination of properties to uniquely identify them. For instance, participants 3 & 8 (highlighted with a black rectangle) cluster together closely in their own right, but do share some overlapping properties (both operate in the government sector). Thus, merely looking at the

Table 3. Comparison of some practitioners based on investigated properties. The proprietary language is an in-house language used by one of the involved companies.

No.	Used Languages	Sector	Focus	Interacts With
3	Proprietary	Financial, Government	Knowledge rules, processes, data	Analysts, modelers
8	UML, OWL, RDF, Mindmap, Rulespeak, Proprietary	Government, healthcare	Rules	Business professionals, policymakers, lawyers
2	Proprietary	Government	Knowledge systems, processes	Managers, domain experts
7	Proprietary, UML, Java	Government, spatial planning	Business processes, process structure	Domain experts, IT specialists
10	Proprietary, XML, XSLT	Government, finance	Processes, rules, object definitions for systems	Domain experts, java developers
9	Proprietary	Government, Financial	Rules, legislation, policy, processes	Domain experts

Table 4. Comparison of some students based on investigated properties. Profiles are standardized packages of coursework students took during secondary education, nature being natural sciences, technology a focus on physics and health a focus on biology.

No.	Study	Profile	Prior Experience
4	Computing Science	Nature, Technology & Health	Some programming and scripting experience
8	Computing Science	Nature & Technology	None
3	Information Systems	Nature & Technology	None
6	Computing Science	Nature & Technology	Programming experience
19	Information Systems	Nature & Health	None

sector a modeler operates in cannot be enough to identify them. Another interesting observation is the fact that while participants 2, 7 & 10 cluster together closely for a number of concepts (e.g., GOALS, RESOURCES and RESTRICTIONS), they do not appear to have a similar understanding of what constitutes a PROCESS, even though they all share a strong focus on modeling processes. Looking at the combination of sector and focus is not enough either, as under these conditions participant 8 and 10 should be grouped closer together because they both have a focus on rules. When we finally look at the combination of sector, focus and interaction we have a

somewhat higher chance of uniquely identifying communities, although there are still counterexamples. Participant 9 (highlighted with a gray rectangle), for example, shares all the properties with participants 2, 7 & 10, but is conceptually far removed from all others. The dataset shows a similar trend for most other participants, providing both examples and counterexamples for most of these property combinations, making it generally very difficult, if not impossible to identify communities.

We face the same challenge in the student data sample, although even more pronounced on an almost individual level. There are par-

ticipants that share the same properties while having wildly varying conceptual understandings. There seems to be some differentiation on whether participants have prior experience, but even then this sole property does not have enough discriminatory power. Take for example participants 4 & 8 (highlighted with a black rectangle) and participants 3, 6 & 19 (highlighted with a gray oval). Both these communities cluster closely together for a specific concept, but then differ on other concepts. One could expect this has to do with a small amount of properties differing between them, which is the case, as there is consistently a participant with some prior experience in programming and scripting languages amongst them. However, if this property really is the differentiating factor, one would expect that on the other concepts the participants with prior experience (4 & 6) would be further removed from other participants than the ones without experience are, which is simply not the case. It thus seems rather difficult to link these properties to the communities and their structure.

This challenge could be explained by a number of things. First and foremost would be a plain lack in the amount of properties (or their granularity, as might be the case in the student data sample) to identify communities by, while it is also possible that the investigated concepts were not at the right abstraction level (i.e., either too specific or too vague), or that the investigated concepts were simply not the concepts people use to model. We will discuss each of these possibilities.

The simplest explanation is that the properties we attempt to identify communities by are not the right (i.e., properly discriminating) ones. It is possible (especially for the student data sample) that some of the properties are not necessarily the wrong ones, but that they are not discriminative enough. For example, knowing what modeling languages someone uses could be described in more detail because a language could have multiple versions that are in use, and it is possible (indeed quite likely) that a language used is not the same as the 'official' language. However, this line of

reasoning is problematic for two reasons. The first being that these are properties that are used by practitioners to (naively) group modelers together, the second that there is no clear-cut way to identify reasonable other properties that are correlated to the modeling practice. If these properties are not useful, we would have to reject the hypothesis on grounds of them being a 'bad fit' for grouping people. Other properties that could be thought of could include reflections of the cultural background of modelers. However, these are less likely to be of influence in our specific case as the Enterprise Modelers we investigate are all set in a Western European context and there is little cultural diversity (or granularity, as might be the case in the student data sample) in this sense.

Another explanation could be that the meta-concepts we chose are not at the right abstraction level (i.e., concept width), meaning that they are either too vague or specific. For example, some modelers could typically think on near-instantiation level while others think more vaguely. If concepts are very specific, one would expect to find differences much faster (as the distance between people's conceptual understanding can be to be larger), which thus makes it *easier* to find communities. If they are (too) vague though, people would not differ much because there are not enough properties to differ on in the first place. However, the way we set up our observations rules out the vagueness possibility, as participants were given a semantic priming task before the semantic differential task of each concept. What we investigated was thus their most typical specific understanding of a concept. For this reason it is unlikely that the abstraction level of the concepts was the cause of the challenge of identifying the communities.

Finally, the most obvious explanation could be a flaw in our preliminary work, namely that we did not select the right concepts, irrespective of their abstraction level. Considering the concepts were derived from an analysis of conceptual modeling languages and methods used for many aspects of enterprises, and that there simply does not seem a way to do without most of them, we find it very unlikely

this is the case. The unlikely option that what we investigated was not actually the modeling concept, but something else entirely (i.e., someone considering their favorite Hollywood actors over a conceptual modeling interpretation of ACTOR) can also be ruled out as the priming task in our observation rules out this possibility. It is therefore unlikely that these potential issues affected our analysis, leading us to conclude that the identification of communities of modelers based on the investigated properties is not feasible.

It thus seems far more prudent that these potential issues did not contribute to the challenge we face, and we should move towards accepting that identifying communities of modelers based on the investigated properties might not be a feasible thing to do.

While we had admittedly hoped that these observations would yield a positive result to the hypothesis, the lack of support we have shown means that a theory of predicting how modelers understand the key concepts they use, and thus what the additional ‘implicit’ semantics of a model could be (as alluded to in the introduction) is likely not feasible. Nonetheless, the observations do help to systematically clarify that these different personal understandings exist, can be measured, and might be correlated to communication and modeling breakdown due to unawareness of linguistic prejudice.

3.3. Consequences

If we wanted to simply discount the possibility of these properties being good ways to identify communities that share a semantic understanding of some concepts with, we would now be done. But as noted in the introduction, the rejection of this hypothesis carries with it certain consequences, especially as these properties *are* being used to identify communities and group people together in practice (e.g., the earlier discussed workshops within the ASD project (Lankhorst, 2012)). Our findings are thus of direct relevance to groups like model facilitators and enterprise modelers as they can use these kind of findings to support them

in determining good and effective modeling strategies (e.g., by having more of an insight into the basic ‘kinds’ of modelers, being more aware of common differences). More generally, the consequences of our findings are not simply that we should stop grouping modelers together in a naive fashion, but that we should strive to gain a better understanding of why we do so, what else we might do in its stead, and what avenues of research should be explored to deal with the consequences from such practices.

Our research stresses the point that a ‘model’ should not just be regarded solely in terms of its graphical or textual representation. Instead, we need to understand that the actual model underlying whatever form it is represented in contains more information than the representation itself. This includes, for example, the personal understanding the people have of the concepts and meta-concepts, and in particular, the (joint) understanding of the meta-concepts used by the model. To ensure that one does not leave out these personal understandings and their possible effects during the model creation and use, a number of practices can be applied during the modeling process.

Before actually modeling a domain, whether with modelers or stakeholders, it would be prudent to discuss the understandings the involved parties have of the concepts to be used. This should not be relegated to a purely abstract discussion of the types (meta-concepts) used in the modeling language, but should rather focus on exploring what in the universe of discourse needs to be modeled, and as a result, what types are needed for this. As a consequence, one can focus on elaborating how the people involved understand those meta-concepts. For example, when modeling a specific universe of discourse which entails the necessity to model rules and the way they affect people, it can easily be derived that some meta-concept for rules or restrictions is necessary. We can then move towards a discussion concerning what kind of properties this meta-concept should *at least* be able to distinguish between, e.g., that some rules are logical conditions that cannot be violated (alethic), while some other ones

are moral conditions that can, but ought not be violated (deontic). As a result of having done this, we now know before actually starting to model what the modeling language as such should accommodate.

When it is known what conceptualizations the modeling language to be used should accommodate, we can either select an existing language that does so, or create a domain or purpose-specific language, which could entail either creating a new dialect or a completely new language. In the previous example on the modeling of rules which need to explicitly distinguish between alethic and deontic rules, we can for instance choose to use Object Role Modeling (ORM), as its meta-model explicitly includes alethic and deontic distinctions, and thus accommodates these conceptualizations. Another example is a universe of discourse which includes the need to model goals and their level of attainment. It seems fair to assume that a goal-specific modeling language will eventually be selected, but the exact dialect (e.g., i^* , GRL or the TROPOS language) will depend on which dialect allows us to express all the conceptual distinctions we need to express. For example, we can have goals for which the level of attainment is quite well defined, while we also have goals where this same level is more vague. This necessitates a conceptual distinction, often made in goal modeling dialects by distinguishing between hard and soft goals. However, if no suitable language or dialect can be found, it can sometimes be better to simply create a new one. This can be either a new dialect of an existing language (e.g., subdividing the i^* meta-model), or a new domain or purpose-specific language (e.g., by stereotyping UML class diagrams into a new meta-model).

As part of the creation process, it is necessary to constantly validate the model and its understanding. This refers to both the meta-concepts and domain concepts. This can be done, for example, by instantiation testing, where we simply instantiate the model with examples and see whether the model forces us to make explicit the conceptual distinctions we want to be explicit. This validation of instantiation is

neither focused on the mathematical validity of the model, nor the correctness of constraints in the model (although both are necessary as well), but on ensuring that the conceptualizations discussed with people beforehand can actually be explicitly expressed.

Apart from being more adaptive to different conceptualizations people have in the modeling process, we can also ensure that our modeling languages are inherently more suited to explicitly deal with them. A possible strategy to deal with this could be to 'upgrade' the concept of *view* as used in e.g., the field of enterprise architecture (The Open Group, 2012) or systems and software engineering (IEEE, 2011). Traditionally, a view provides a model of a domain from a specific (set of related) concern(s). This could be extended with an articulation of all the expressed (and preferably shared) understandings of the modeling concepts used in the view. Even more, one should consider the joint creation (by a group of stakeholders or modelers) of a view as the joint creation of a model of the domain and the meta-model of the modeling concepts used in that view. This is essentially a form of domain/purpose specific modeling language. When modeling a single domain in terms of a 'swarm of views', where each view is modeled by a specific group, from the perspective of a (set of related) concern(s), an integrated or joined model of that domain could then be constructed as a shared (and traceable) understanding among the different views. Such approaches to constructing models by integrating views can be found in e.g., (Dijkman et al., 2008; Brandt & Hermann, 2012). At first this might sound as a laborious task. However, as our research has indicated, when we do not respect the group-based and personal understanding of modeling concepts and or domain concepts, there is a risk of (implicit) misunderstandings. Such misunderstandings can have severe adverse consequences in an enterprise and information systems engineering context.

However, we should not focus exclusively on attempting to solve the issue by engineering our way around it. Attempts to understand more

clearly the reasons and challenges in the modeling process as discussed could be undertaken in, for example, the following areas.

Understanding why people become part of a community (in our case, of shared semantics) could help to deal with their conceptualization processes by understanding more clearly how the group dynamics affect them. Several drivers (e.g., economical, political and cultural) could drive people to become part of such communities and have received attention already (see e.g., Huang et al., 2002 or recent work in Enterprise Architecture by Niemietz, 2012), and is a worthwhile angle of investigation to extend our understanding of such group dynamics.

Furthermore, it would be useful to know how specific domain or purpose-specific modeling languages really need to be, and on the other hand, how general general-purpose modeling languages can be while not conflicting with people's conceptualizations. This correlates with the (limits of) someone's semantic flexibility, which can be investigated by testing the limits of their conceptualizations. This likely affects their ability to easily use languages that do not accommodate their typically used and needed distinctions (e.g., a modeler who typically only uses the concept of human actors). This can be investigated, for example, through validation by instantiation testing to see to what degree people can accommodate non-matching uses of their conceptualizations as defined in a language's specification.

Finally, related to all these angles of investigation is the question of what causes the success of certain modeling dialects for certain aspects (process modeling, value exchanges, technical design). While factors behind the drive to create specialized dialects for modeling languages are somewhat understood ("ambiguities, contradictions and incompleteness" (Ayala et al., 2005) of their formal specification), the reason for the success of one dialect over another is less well understood. Combined insight into the formation and evolution of semantic communities and insight into cultural and corporate factors affecting their selection and use might join to

explain why certain dialects are used intensively, and others wither away.

To summarize, we have shown that the often implicit assumption that "people have a strongly comparable conceptual understanding of the common modeling meta-concepts if they share used modeling language, modeling focus or an expertise in certain sectors" cannot be reasonably backed up by our empirical investigation.

4. CONCLUSION

We have shown a way to discover communities that share a conceptual understanding of conceptual modeling meta-concepts through analysis of psychometric data and discussed the difficulties in consistently identifying them through shared properties between their members. On basis of this we have rejected the hypothesis that modelers with certain shared properties (such as used languages, background, focus, etc.) can be easily grouped together and expected to share a similar conceptual understanding of the common conceptual modeling meta-concepts. Furthermore, we have discussed the consequences of these findings for the modeling process and elaborated on what avenues of research might prove fruitful as a result of these consequences.

ACKNOWLEDGMENT

The authors would like to thank Lex Overmars for his constructive discussions and help in extending this article, and the anonymous reviewers for their insightful comments. This work has been partially sponsored by the Fonds National de la Recherche Luxembourg (www.fnrlu), via the PEARL programme. The Enterprise Engineering Team (EE-Team) is a collaboration between Public Research Centre Henri Tudor, Radboud University Nijmegen and HAN University of Applied Sciences (www.ee-team.eu).

REFERENCES

- Alani, H., & Shadbolt, N. (2002). Identifying communities of practice: Analysing ontologies as networks to support community recognition. In *Proceedings of the 2002 IFIP World Computer Congress*.
- Almeida, M. B. (2009). A proposal to evaluate ontology content. *Applied Ontology*, 4, 245–265.
- Ayala, C. P., Cares, C., Carvallo, J. P., Grau, G., Haya, M., & Salazar, G. ... Quer, C. (2005). A comparative analysis of i*-based agent-oriented modeling languages. In *Proceedings of the Seventeenth International Conference on Software Engineering and Knowledge Engineering (SEKE'05)*, Taipei, Taiwan (pp. 43–50).
- Barjis, J., Kolfshoten, G., & Verbraeck, A. (2009). Collaborative enterprise modeling. In Proper, E., Harmsen, F., & Dietz, J. (Eds.), *Advances in enterprise engineering II* (vol. 28 of Lecture Notes in Business Information Processing, pp. 50–62). Springer Berlin Heidelberg.
- Bidarra, R., Van Den Berg, E., & Bronsvort, W. (2001). Collaborative modeling with features. In *Proceedings of ASME Design Engineering Technical Conference (DETC'01)*.
- Bishr, Y., Kuhn, W., & Rdwan, M. (1999). Probing the concepts of information communities - a first step towards semantic interoperability. *Interoperating Geographic Information Systems*, 495, 55–70.
- Brandt, C., & Hermann, F. (2013). Conformance analysis of organizational models: A new enterprise modeling framework using algebraic graph transformation. [IJISMD]. *International Journal of Information System Modeling and Design*, 4(1), 42–78. doi:10.4018/jismd.2013010103
- Breu, R., Hinkel, U., Hofmann, C., Klein, C., Paech, B., Rumpe, B., & Thurner, V. (1997). Towards a formalization of the Unified Modeling Language. In M. Aksit et al. (Eds.), *11th European Conference on Object-Oriented Programming (COOP'97)* (vol. 1241 of LNCS, pp. 344–366). Springer Berlin. 10.1007/BFb0053386.
- Dean, D., Orwig, R., & Vogel, D. (2000). Facilitation methods for collaborative modeling tools. *Group Decision and Negotiation*, 9, 109–128. doi:10.1023/A:1008702604327
- Delen, D., Dalal, N. P., & Benjamin, P. C. (2005). Integrated modeling: The key to holistic understanding of the enterprise. *Communications of the ACM*, 48(4), 107–112. doi:10.1145/1053291.1053296
- Di Vesta, F. J., & Dick, W. (1966). The test-retest reliability of children's ratings on the semantic differential. *Educational and Psychological Measurement*, 26(3), 605–616. doi:10.1177/001316446602600305
- Dijkman, R. M., Quartel, D. A. C., & van Sinderen, M. J. (2008). Consistency in multi-viewpoint design of enterprise information systems. *Information and Software Technology*, 50(7-8), 737–752. doi:10.1016/j.infsof.2007.07.007
- Ferrariolo, D., Cugini, J., & Kuhn, R. (1995). Role-based access control (RBAC): Features and motivations. In *Proceedings of the 11th Annual Computer Security Applications Conference*.
- Flake, G., Lawrence, S., Giles, C., & Coetzee, F. (2002). Self-organization and identification of web communities. *Computer*, 35(3), 66–70. doi:10.1109/2.989932
- Frederiks, P., & Van der Weide, T. (2006). Information modeling: The process and the required competencies of its participants. *Data & Knowledge Engineering*, 58(1), 4–20. doi:10.1016/j.datak.2005.05.007
- Geeraerts, D. (2010). *Theories of lexical semantics (Oxford Linguistics)*. Oxford University Press.
- Gordijn, J., Yu, E., & van der Raadt, B. (2006). e-service design using i* and e3value modeling. *IEEE Software*, 23, 26–33. doi:10.1109/MS.2006.71
- Gregor, S. (2006). The nature of theory in information systems. *Management Information Systems Quarterly*, 30(3), 611–642.
- Guarino, N., Carrara, M., & Giaretta, P. (1994). Formalizing ontological commitments. In *Proceedings of the Twelfth National Conference on Artificial Intelligence (AAAI '94)*, Menlo Park, CA (vol. 1, pp. 560–567). American Association for Artificial Intelligence.
- Gumperz, J. (2001). The speech community. In *Linguistic anthropology: A reader* (pp. 66–74). Wiley-Blackwell.
- Henderson-Sellers, B. (2005). UML - the good, the bad or the ugly? Perspectives from a panel of experts. *Software & Systems Modeling*, 4(1), 4–13. doi:10.1007/s10270-004-0076-8
- Hoppenbrouwers, S., Lindeman, L., & Proper, H. (2006). Capturing modeling processes—towards the modal modeling laboratory. In *On the Move to Meaningful Internet Systems 2006: OTM 2006 Workshops* (pp. 1242–1252). Springer.

- Hoppenbrouwers, S., Weigand, H., & Rouwette, E. (2009). Setting rules of play for collaborative modeling. [IJEC]. *International Journal of e-Collaboration*, 5(4), 37–52. doi:10.4018/jec.2009062603
- Hoppenbrouwers, S. J. B. A. (2003). *Freezing language: conceptualisation processes across ICT-supported organisations*. PhD thesis, Radboud University Nijmegen.
- Hoppenbrouwers, S. J. B. A., Proper, H. A., & van der Weide, T. (2005). Formal modelling as a grounded conversation. In M. Goldkuhl, G. Lind & S. Haraldson (Eds.), *Proceedings of the 10th International Working Conference on the Language Action Perspective on Communication Modelling (LAP05)*.
- Huang, J. C., Newell, S., & Galliers, R. D. (2002). The impact of organizational sub-cultures on the implementation of component-based development: A case study of an international investment bank. In *Proceedings of the European Conference on Information Systems (ECIS2002)*, Gdansk, Poland.
- IEEE. (2011). Systems and software engineering – architecture description. ISO/IEC/IEEE 42010:2011(E) (Revision of ISO/IEC 42010:2007 and IEEE Std 1471-2000) (pp. 1–46).
- Kuehn, H., Bayer, F., Junginger, S., & Karagiannis, D. (2003). Enterprise model integration. In e-Commerce and web technologies (vol. 2738 of Lecture Notes in Computer Science, pp. 379–392). Springer Berlin / Heidelberg.
- Lankhorst, M. M. (2004). Enterprise architecture modeling – the issue of integration. *Advanced Engineering Informatics*, 18(4), 205–216. doi:10.1016/j.aei.2005.01.005
- Lankhorst, M. M. (Ed.). (2012). *Agile service development: Combining adaptive methods and flexible solutions*. Springer. doi:10.1007/978-3-642-28188-4
- Malt, B. C., Ameel, E., Gennari, S., Imai, M., & Majid, A. (2011). Do words reveal concepts? In *Proceedings of the 33rd Annual Conference of the Cognitive Science Society* (pp. 519–524).
- Meyerhoff, M. (2008). *Communities of practice* (pp. 526–548). Blackwell Publishing Ltd.
- Niemietz, H. (2013). The impact of organisational subcultures on the enterprise architecture process. In *Proceedings of the 6th IADIS Information Systems Conference (IS2013)*, Lisbon, Portugal (pp. 397–400).
- Nuffel, D., Mulder, H., & Kervel, S. (2009). Enhancing the formal foundations of BPMN by enterprise ontology. *Advances in Enterprise Engineering, III*, 115–129. doi:10.1007/978-3-642-01915-9_9
- Object Management Group. (2010). *Business process model and notation (BPMN) f1f beta 1 for version 2.0*. Internet.
- Opdahl, A. L., & Berio, G. (2006). Interoperable language and model management using the UEMML approach. In *Proceedings of the 2006 International Workshop on Global Integrated Model Management* (pp. 35–42). New York, NY: ACM.
- Osgood, C. E., Suci, G. J., & Tannenbaum, P. (1957). *The measurement of meaning*. Urbana, IL: University of Illinois Press.
- Perelman, C., & Olbrechts-Tyteca, L. (1969). *The new rhetoric: A treatise on argumentation*. University of Notre Dame Press.
- Peter, J. P. (1979). Reliability: A review of psychometric basics and recent marketing practices. *JMR, Journal of Marketing Research*, 16(1), 6–17. doi:10.2307/3150868
- Pinker, S. (2007). *The stuff of thought: Language as a window into human nature*. Viking Press.
- Recker, J. C., & Dreiling, A. (2007). Does it matter which process modelling language we teach or use? An experimental study on understanding process modelling languages without formal education. In Toleman, M., Cater-Steel, A., and Roberts, D. (Eds.), *18th Australasian Conference on Information Systems*, Toowoomba, Australia (pp. 356–366). University of Southern Queensland.
- Renger, M., Kolfshoten, G., & Vreede, G.-J. (2008). Challenges in collaborative modeling: A literature review. In Dietz, J., Albani, A., & Barjis, J. (Eds.), *Advances in enterprise engineering I* (vol. 10 of Lecture Notes in Business Information Processing, pp. 61–77). Springer Berlin Heidelberg.
- Rittgen, P. (2009). Collaborative modeling – a design science approach. In *Proceedings of the 42nd Hawaii International Conference on System Sciences (HICSS'09)*. IEEE.
- Rospoche, M., Ghidini, C., Serafini, L., Kump, B., Pammer, V., & Lindstaedt, S. ... Ley, T. (2008, December 15th-17th). Collaborative enterprise integrated modelling. In *Proceedings of the 5th International Workshop on Semantic Web Applications and Perspectives (SWAP 2008)*.
- Rouwette, E., Hoppenbrouwers, S., & Dangerfield, B. (2008). Collaborative systems modeling and group model building: a useful combination. In *Proceedings of the 26th International Conference of the System Dynamics Society*.

- Seigerroth, U., Kaczmarek, T., & Shilov, N. (2012). Practical challenges of enterprise modeling in the light of business and it alignment. In Sandkuhl et al. (Eds.), *The practice of enterprise modeling* (Vol. 134 of *Lecture Notes in Business Information Processing*, pp. 31–45). Springer Berlin.
- Sowa, J. (2010). The role of logic and ontology in language and reasoning. In *Theory and applications of ontology: Philosophical perspectives* (pp. 231–263). Springer Netherlands. doi:10.1007/978-90-481-8845-1_11
- Ssebuggwawo, D., Hoppenbrouwers, S., & Proper, E. (2009). Interactions, goals and rules in a collaborative modelling session. In Persson, A., & Stirna, J. (Eds.), *The practice of enterprise modeling* (vol. 39 of *Lecture Notes in Business Information Processing*, pp. 54–68). Springer Berlin Heidelberg.
- Stahl, G. (2000). A model of collaborative knowledge-building. In *Proceedings of Fourth International Conference of the Learning Sciences (ICLS 2000)*, Ann Arbor, MI (pp. 70–77).
- Tan, F., & Hunter, M. (2002). The repertory grid technique: A method for the study of cognition in information systems. *Management Information Systems Quarterly*, 39–57. doi:10.2307/4132340
- The Open Group. (2012). *ArchiMate 2.0 specification*. Van Haren Publishing.
- Uschold, M. (2011). Making the case for ontology. *Applied Ontology*, 6(4), 377–385.
- van der Linden, D. J. T., Hoppenbrouwers, S. J. B. A., Lartseva, A., & Proper, H. A. (2011). Towards an investigation of the conceptual landscape of enterprise architecture. In T. Halpin et al. (Eds.), *Enterprise, business- process and information systems modeling* (vol. 81 of *LNCS*, pp. 526–535).
- Verhagen, T., & Meents, S. (2007). *A framework for developing semantic differentials in is research: Assessing the meaning of electronic marketplace quality (EMQ)*. Serie Research Memoranda 0016, VU University Amsterdam, Faculty of Economics, Business Administration and Econometrics.
- Vernadat, F. B. (2002). Enterprise modeling and integration (EMI): Current status and research perspectives. *Annual Reviews in Control*, 26(1), 15–25. doi:10.1016/S1367-5788(02)80006-2
- Wenger, E., & Snyder, W. (2000). Communities of practice: The organizational frontier. *Harvard Business Review*, 78(1), 139–146. PMID:11184968
- Wilke, C., & Demuth, B. (2011). UML is still inconsistent! How to improve OCL constraints in the UML2.3 superstructure. *Electronic Communications of the EASST*, 44.
- Wilmont, I., Barendsen, E., Hoppenbrouwers, S., & Hengeveld, S. (2012). Abstract reasoning in collaborative modeling. In *Proceedings of the 45th Hawaii International Conference on System Science (HICSS'12)* (pp. 170–179). IEEE.

ENDNOTES

- ¹ To distinguish concepts from words used for them we print concepts in SMALL CAPS.
- ² The ASD project (www.novay.nl/okb/projects/agile-service-development/7628) was a collaborative research initiative focused on methods, techniques and tools for the agile development of business services. The ASD project consortium consisted of Be Informed, BiZZdesign, Everest, IBM, O&i, PGGM, RuleManagement Group, Voogd & Voogd, CRP Henri Tudor, Radboud University Nijmegen, University Twente, Utrecht University & Utrecht University of Applied Science, TNO and Novay.

Dirk van der Linden is a PhD candidate in Information Science at the Radboud University Nijmegen, working with prof. Henderik Proper at the CRP Henri Tudor in Luxembourg. His doctoral work is concerned with the personal understanding people have of concepts used by modeling languages. He holds a MSc (cum laude) in Information Science from Radboud University Nijmegen, and a BSc. in Bioinformatics from HAN University of Applied Sciences. His research is supported by the Fonds Nationale de Recherche Luxembourg.

Stijn Hoppenbrouwers holds Master's degrees in English Language & Literature (Utrecht) and Linguistics (Bangor, Wales). Since 1996 he has been involved as a researcher and designer in various applied science projects concerning the creation of languages and tools for modelling in information system development and enterprise engineering. He acquired his PhD in Computer Science at Radboud University of Nijmegen in 2003 and became assistant professor there in 2005. In 2012 he was appointed professor at HAN University of Applied Sciences, Arnhem, heading the Model Based Information Systems research group. Stijn's current research increasingly involves joint work with industry and mainly concerns collaborative modelling, emphasizing communication and conceptualisation with and for stakeholders untrained in systems modelling.

Henderik Proper is professor of information systems at the Radboud University Nijmegen, the Netherlands. He is one of the co-initiators of the development of the ArchiMate language for Enterprise Architecture. He is currently a senior research manager at Public Research Centre - Henri Tudor in Luxembourg, where he leads the research programme on enterprise engineering. Henderik has co-authored two books on enterprise architecture, and provided substantial contributions to two other books on this topic. He is also an editor in-chief of a book series on Enterprise Engineering, published by Springer.